Notice of Allowability	Application No.	Applicant(s)	
	10/644,837	CHANG ET AL.	
	Examiner	Art Unit	
	Pia F Tibbits	2838	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communicatio GHTS. This application is subject	oplication. If not included in will be mailed in due cou	ırse. THIS
1. This communication is responsive to			
2. The allowed claim(s) is/are <u>1-9</u> .			
3. 🖾 The drawings filed on 21 August 2003 are accepted by the	Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority unersign as a claim for foreign priority unersign. ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspersing 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the deposit attached Examiner's comment regarding REQUIREMENT In the deposit of the priority documents and the deposit attached Examiner's comment regarding REQUIREMENT In the deposit attached Examiner's comment regarding Requirement attache	been received. been received in Application No cuments have been received in this of this communication to file a reply lENT of this application. itted. Note the attached EXAMINER as reason(s) why the oath or declar at be submitted. son's Patent Drawing Review (PTO) s Amendment / Comment or in the as Ad(c)) should be written on the draw the header according to 37 CFR 1.121 sit of BIOLOGICAL MATERIAL	r national stage application or national stage application or complying with the requirement. R'S AMENDMENT or NOT ation is deficient. 9-948) attached Office action of ings in the front (not the bate). must be submitted. Note	ements ICE OF
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summar Paper No./Mail Da 8), 7. ☑ Examiner's Amend	ate	nce

Application/Control Number: 10/644,837 Page 2

Art Unit: 2838

DETAILED ACTION

This Office action is in answer to the application filed 8/21/2003.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 2. Authorization for this examiner's amendment was given in a telephone interview with Mr. Morton Rosenberg at 410/465-6678 on October 20, 2004.
- 3. The application has been amended as follows:

In the claims:

Claim 1: "; besides, the clamping circuit contains a clamping voltage that can be compared with the actual voltage" to be replaced by ---, and the clamping circuit responds to a clamping voltage that can be compared with an actual voltage---.

Claim 7: "the clamping voltage has at least 1.8 volt" to be replaced by ---the clamping voltage is at least 1.8 volt---.

Allowable Subject Matter

4. Claims 1-9 are allowed.

With regard to claims 1-9: none of the references of record prior to applicant's filing date discloses, teaches, or suggests a capacitance charge device with adjustable clamping voltage comprising, *inter alia*, a clamping circuit, connected between an ON/OFF switch device and a high-farad capacitance and also connected to an output terminal of a switching power supply device, and the clamping circuit responds to a clamping voltage that can be compared with an actual voltage so as to control the on/off operations of the switch device and in turn control the ON/OFF conductions between the power supply device and the capacitance.

Application/Control Number: 10/644,837 Page 3

Art Unit: 2838

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Pia Tibbits whose telephone number is (571) 272-2086. If unavailable, contact the Supervisory Patent Examiner Mike Sherry whose telephone number is (571) 272-2084. The Technology Center Fax number is (703) 872-9306.
- 4. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PFT

October 20, 2004

Pia Tibbits

Primary Patent Examiner